
erreur 443 sur sourcesup avec 4.01a

Posted by sebbum - 2010/09/07 22:12

Bonjour,

la commande :

wget https://sourcesup.cru.fr/frs/download.php/3232/wims-4.01a.tgz

me donne une erreur 443 :

--2010-09-07 23:48:53-- https://sourcesup.cru.fr/frs/download.php/3232/wims-4.01a.tgz

Résolution de sourcesup.cru.fr... 195.220.94.169

Connexion vers sourcesup.cru.fr[195.220.94.169]:443...

pourtant il me semble bien que je pratiquais comme ça pour les autres versions de wims...

Séb.

=====

Re:erreur 443 sur sourcesup avec 4.01a

Posted by bernadette - 2010/09/08 06:26

Essaye sans le s de https.

Bernadette

=====

Re:erreur 443 sur sourcesup avec 4.01a

Posted by sebbum - 2010/09/08 07:51

J'avais essayé. De mémoire, ça m'a renvoyé un problème de droits d'accès.

Ah, ce matin ça passe en https. Et ce n'était peut-être pas une erreur 443...

En revanche, à l'install, j'ai ça :

Welcome to the compilation of WIMS (WWW Interactive Multipurpose Server)!

This utility guides you interactively through the choice of options,
then launches the compilation.

To compile WIMS with default options, just press .

To customize the compilation options, type 'y' or 'n' and press .

You can here choose to use root password or sudo password in the
last step of the installation.

To abort now, press Ctrl-C.

Interactive options (y/n)?

checking whether ln -s works... yes

checking for gawk... gawk

checking for bison... no

checking for byacc... no

checking for gcc... gcc

checking for C compiler default output file name... a.out

checking whether the C compiler works... yes

checking whether we are cross compiling... no

checking for suffix of executables...

checking for suffix of object files... o

checking whether we are using the GNU C compiler... yes

checking whether gcc accepts -g... yes

checking for gcc option to accept ANSI C... none needed
checking for g++... no
checking for c++... no
checking for gpp... no
checking for aCC... no
checking for CC... no
checking for cxx... no
checking for cc++... no
checking for cl... no
checking for FCC... no
checking for KCC... no
checking for RCC... no
checking for xLC_r... no
checking for xLC... no
checking whether we are using the GNU C++ compiler... no
checking whether g++ accepts -g... no
checking how to run the C preprocessor... gcc -E
checking for flex... no
checking for lex... no
checking for yywrap in -lfl... no
checking for yywrap in -ll... no
checking whether make sets \$(MAKE)... yes
checking for ranlib... ranlib
checking for strip... strip
checking for tex... /usr/bin/tex
checking for cos in -lm... yes
checking for floor... yes
checking for pow... yes
checking for rint... yes
checking for sqrt... yes
checking for crypt in -lcrypt... yes
checking for crypt... yes
checking for main in -lfl... no
checking for gethostbyname... yes
checking for gethostname... yes
checking for socket... yes
checking for inet_ntoa... yes
checking for inet_aton... yes
checking for egrep... grep -E
checking for working alloca.h... yes
checking for alloca... yes
checking for dirent.h that defines DIR... yes
checking for library containing opendir... none required
checking for ANSI C header files... yes
checking for sys/wait.h that is POSIX.1 compatible... yes
checking for sys/types.h... yes
checking for sys/stat.h... yes
checking for stdlib.h... yes
checking for string.h... yes
checking for memory.h... yes
checking for strings.h... yes
checking for inttypes.h... yes
checking for stdint.h... yes
checking for unistd.h... yes
checking for memory.h... (cached) yes
checking for string.h... (cached) yes
checking for memory.h... (cached) yes
checking crypt.h usability... yes
checking crypt.h presence... yes
checking for crypt.h... yes
checking arpa/inet.h usability... yes
checking arpa/inet.h presence... yes
checking for arpa/inet.h... yes
checking fcntl.h usability... yes
checking fcntl.h presence... yes

checking for fcntl.h... yes
checking malloc.h usability... yes
checking malloc.h presence... yes
checking for malloc.h... yes
checking netdb.h usability... yes
checking netdb.h presence... yes
checking for netdb.h... yes
checking netinet/in.h usability... yes
checking netinet/in.h presence... yes
checking for netinet/in.h... yes
checking for stdlib.h... (cached) yes
checking for string.h... (cached) yes
checking sys/socket.h usability... yes
checking sys/socket.h presence... yes
checking for sys/socket.h... yes
checking sys/time.h usability... yes
checking sys/time.h presence... yes
checking for sys/time.h... yes
checking for unistd.h... (cached) yes
checking utime.h usability... yes
checking utime.h presence... yes
checking for utime.h... yes
checking for an ANSI C-conforming const... yes
checking for inline... inline
checking for pid_t... yes
checking for size_t... yes
checking whether time.h and sys/time.h may both be included... yes
checking whether struct tm is in sys/time.h or time.h... time.h
checking for socklen_t... yes
checking for error_at_line... yes
checking for unistd.h... (cached) yes
checking vfork.h usability... no
checking vfork.h presence... no
checking for vfork.h... no
checking for fork... yes
checking for vfork... yes
checking for working fork... yes
checking for working vfork... (cached) yes
checking whether lstat dereferences a symlink specified with a trailing slash... yes
checking whether lstat accepts an empty string... no
checking for stdlib.h... (cached) yes
checking for GNU libc compatible malloc... yes
checking for working memcmp... yes
checking for stdlib.h... (cached) yes
checking for GNU libc compatible realloc... yes
checking return type of signal handlers... void
checking whether stat accepts an empty string... no
checking for working strtod... yes
checking whether utime accepts a null argument... yes
checking for dup2... yes
checking for alarm... yes
checking for getcwd... yes
checking for gethostbyname... (cached) yes
checking for gethostname... (cached) yes
checking for gettimeofday... yes
checking for inet_ntoa... (cached) yes
checking for memmove... yes
checking for memset... yes
checking for mkdir... yes
checking for regcomp... yes
checking for rmdir... yes
checking for putenv... yes
checking for select... yes
checking for socket... (cached) yes
checking for strcasecmp... yes

```
checking for strchr... yes
checking for strdup... yes
checking for strerror... yes
checking for strncasecmp... yes
checking for strpbrk... yes
checking for strchr... yes
checking for strstr... yes
checking for utime... yes
checking for setenv... yes
checking for WIMS.C... no
checking for /usr/lib/libm.a... yes
Compile units-filter: yes
Wait ... flex is not available, Compile units : no
Compile chemeq: yes
Wait ... flex is not available, Compile chemeq: no
Compile wimsd: yes
configure: creating ./config.status
config.status: creating Flydraw/gd/Makefile
config.status: creating Flydraw/Makefile
config.status: creating Interfaces/Makefile
config.status: creating Lib/Makefile
config.status: creating Makefile
config.status: creating Misc/Makefile
config.status: creating Misc/symtext/Makefile
config.status: creating Misc/mathexp/Makefile
config.status: creating Misc/chemeq/Makefile
config.status: creating Misc/chemeq/src/Makefile
config.status: creating Misc/units-filter/src/Makefile
config.status: creating Misc/voronoiW/Makefile
config.status: creating Misc/bioinfo/Makefile
config.status: creating Misc/checkmol/Makefile
config.status: creating Misc/lceb/Makefile
config.status: creating Misc/whirlgif/Makefile
config.status: creating Module/Makefile
config.status: creating Module/drawode/Makefile
config.status: creating Msg2wims/Makefile
config.status: creating Oef2wims/Makefile
config.status: creating Wimsd/Makefile
config.status: creating Wimslogd/Makefile
config.status: creating Texgif/Makefile
config.status: creating config.h
rm -f wims wims.o Common/*.o 2>/dev/null
rm -f Common/*.o
cd Wimsd; make clean
make: entrant dans le répertoire « /home/wims/src/Wimsd »
rm -f wimsd *.o
make: quittant le répertoire « /home/wims/src/Wimsd »
cd Wimslogd; make clean
make: entrant dans le répertoire « /home/wims/src/Wimslogd »
rm -f wimslogd
make: quittant le répertoire « /home/wims/src/Wimslogd »
cd Lib; make clean
make: entrant dans le répertoire « /home/wims/src/Lib »
rm -f libwims.so libwims.a libwims.o 2>/dev/null
make: quittant le répertoire « /home/wims/src/Lib »
cd Interfaces; make clean
make: entrant dans le répertoire « /home/wims/src/Interfaces »
rm -f pari yacas maxima scilab gap mup octave m2 *.o
make: quittant le répertoire « /home/wims/src/Interfaces »
cd Misc; make clean
make: entrant dans le répertoire « /home/wims/src/Misc »
rm -f curvecomp cyclicode ftype oncechar shortpath webget Plouffe clickzone html2msg huffman translator wrap chroot
voronoi test cryptarith exostat dicsort modind modstat ccsum phtmltext
cd mathexp; make clean
make: entrant dans le répertoire « /home/wims/src/Misc/mathexp »
```

```
rm -f mathexp
make: quittant le répertoire « /home/wims/src/Misc/mathexp »
cd units-filter/src; make clean
make: entrant dans le répertoire « /home/wims/src/Misc/units-filter/src »
rm -f *~ uniteslex.cc unitesparser.cc *.o *.output units-filter
make: quittant le répertoire « /home/wims/src/Misc/units-filter/src »
cd chemeq/src; make clean
make: entrant dans le répertoire « /home/wims/src/Misc/chemeq/src »
rm -f *~ *.o chemlex.cc chemparser.cc *.output chemeq
make: quittant le répertoire « /home/wims/src/Misc/chemeq/src »
cd voronoiW; make clean
make: entrant dans le répertoire « /home/wims/src/Misc/voronoiW »
rm -f *.o voronoi
make: quittant le répertoire « /home/wims/src/Misc/voronoiW »
cd whirlgif; make clean
make: entrant dans le répertoire « /home/wims/src/Misc/whirlgif »
rm -f whirlgif *.o
make: quittant le répertoire « /home/wims/src/Misc/whirlgif »
cd bioinfo; make clean
make: entrant dans le répertoire « /home/wims/src/Misc/bioinfo »
rm -f *.o
make: quittant le répertoire « /home/wims/src/Misc/bioinfo »
cd checkmol; make clean
make: entrant dans le répertoire « /home/wims/src/Misc/checkmol »
rm -f checkmol
make: quittant le répertoire « /home/wims/src/Misc/checkmol »
cd symtext; make clean
make: entrant dans le répertoire « /home/wims/src/Misc/symtext »
rm -f symtext
make: quittant le répertoire « /home/wims/src/Misc/symtext »
make: quittant le répertoire « /home/wims/src/Misc »
cd Oef2wims; make clean
make: entrant dans le répertoire « /home/wims/src/Oef2wims »
rm -f oef2wims 2>/dev/null
make: quittant le répertoire « /home/wims/src/Oef2wims »
cd Msg2wims; make clean
make: entrant dans le répertoire « /home/wims/src/Msg2wims »
rm -f msg2wims 2>/dev/null
make: quittant le répertoire « /home/wims/src/Msg2wims »
cd Flydraw; make clean
make: entrant dans le répertoire « /home/wims/src/Flydraw »
rm -f flydraw
cd gd; make clean
make: entrant dans le répertoire « /home/wims/src/Flydraw/gd »
rm -f *.o *.a gddemo giftogd
make: quittant le répertoire « /home/wims/src/Flydraw/gd »
make: quittant le répertoire « /home/wims/src/Flydraw »
cd Texgif; make clean
make: entrant dans le répertoire « /home/wims/src/Texgif »
rm -f texgif
rm -fR test/texg* test/*
make: quittant le répertoire « /home/wims/src/Texgif »
cd Module; make clean
make: entrant dans le répertoire « /home/wims/src/Module »
cd drawode; make clean
make: entrant dans le répertoire « /home/wims/src/Module/drawode »
rm -f drawode drawode_g *.o
make: quittant le répertoire « /home/wims/src/Module/drawode »
make: quittant le répertoire « /home/wims/src/Module »
gcc -E confcheck.c | grep -v '^*$$'
# 1 "confcheck.c"
# 1 ""
# 1 ""
# 1 "confcheck.c"
# 23 "confcheck.c"
```

```

# 1 "config.h" 1
# 24 "confcheck.c" 2
rm -f ../lib/libwims.so 2>/dev/null
cd Lib; make static
make: entrant dans le répertoire « /home/wims/src/Lib »
gcc -o libwims.o -g -O2 -Wall -DGNU_SOURCE -DVERSION_DATE="2010-09-08" -Dlibwims -c libwims.c
ar rc libwims.a libwims.o
ranlib libwims.a
cp libwims.a ../lib
make: quittant le répertoire « /home/wims/src/Lib »
cd Flydraw; make all
make: entrant dans le répertoire « /home/wims/src/Flydraw »
cd gd; make libgd.a
make: entrant dans le répertoire « /home/wims/src/Flydraw/gd »
gcc -g -O2 -c -o gd.o gd.c
gcc -g -O2 -c -o gdfontt.o gdfontt.c
gcc -g -O2 -c -o gdfonts.o gdfonts.c
gcc -g -O2 -c -o gdfontmb.o gdfontmb.c
gcc -g -O2 -c -o gdfontl.o gdfontl.c
gcc -g -O2 -c -o gdfontg.o gdfontg.c
rm -f libgd.a
ar rc libgd.a gd.o gdfontt.o gdfonts.o gdfontmb.o \
gdfontl.o gdfontg.o
ranlib libgd.a
make: quittant le répertoire « /home/wims/src/Flydraw/gd »
gcc -g -O2 -Wall -DGNU_SOURCE -DVERSION_DATE="2010-09-08" flydraw.c -L../lib -L./gd -lm -lgd -lwims -o
flydraw
In file included from flydraw.c:136:
objects.c: In function 'open4read':
objects.c:66: warning: ignoring return value of 'system', declared with attribute warn_unused_result
strip flydraw
./flydraw table
Table orders OK.
cp flydraw ../other/bin/flydraw
chmod a+x ../other/bin/flydraw
./htmldoc.sh >../public_html/scripts/help/en/flydraw.phtml
for i in fr cn ; do ./htmldoc.sh $i >../public_html/scripts/help/$i/flydraw.phtml ; done
make: quittant le répertoire « /home/wims/src/Flydraw »
cd Texgif; make all
make: entrant dans le répertoire « /home/wims/src/Texgif »
gcc -g -O2 -Wall -DGNU_SOURCE -DVERSION_DATE="2010-09-08" texgif.c -L./Flydraw/gd -lgd -lm -o texgif
In file included from texgif.c:41:
basic.c: In function 'execredirected':
basic.c:130: warning: ignoring return value of 'freopen', declared with attribute warn_unused_result
basic.c:131: warning: ignoring return value of 'freopen', declared with attribute warn_unused_result
basic.c:132: warning: ignoring return value of 'freopen', declared with attribute warn_unused_result
texgif.c: In function 'tex':
texgif.c:82: warning: ignoring return value of 'fread', declared with attribute warn_unused_result
texgif.c:100: warning: ignoring return value of 'chdir', declared with attribute warn_unused_result
texgif.c:104: warning: ignoring return value of 'chdir', declared with attribute warn_unused_result
strip texgif
cp texgif ../public_html/bin/tex.gif
make: quittant le répertoire « /home/wims/src/Texgif »
cd Interfaces; make all
make: entrant dans le répertoire « /home/wims/src/Interfaces »
gcc -o pari.o -g -O2 -Wall -DGNU_SOURCE -DVERSION_DATE="2010-09-08" -c pari.c
In file included from pari.c:101:
common.c: In function 'execredirected':
common.c:255: warning: ignoring return value of 'freopen', declared with attribute warn_unused_result
common.c:259: warning: ignoring return value of 'freopen', declared with attribute warn_unused_result
common.c:260: warning: ignoring return value of 'freopen', declared with attribute warn_unused_result
common.c: In function 'prepabout':
common.c:449: warning: ignoring return value of 'write', declared with attribute warn_unused_result
gcc -g -O2 -Wall pari.o -lm -o pari
gcc -o yacas.o -g -O2 -Wall -DGNU_SOURCE -DVERSION_DATE="2010-09-08" -c yacas.c

```

In file included from yacas.c:61:
common.c: In function 'execredirected':
common.c:255: warning: ignoring return value of 'freopen', declared with attribute warn_unused_result
common.c:259: warning: ignoring return value of 'freopen', declared with attribute warn_unused_result
common.c:260: warning: ignoring return value of 'freopen', declared with attribute warn_unused_result
common.c: In function 'prepabout':
common.c:449: warning: ignoring return value of 'write', declared with attribute warn_unused_result
gcc -g -O2 -Wall yacas.o -lm -o yacas
gcc -o maxima.o -g -O2 -Wall -DGNU_SOURCE -DVERSION_DATE=\"2010-09-08\" -c maxima.c
In file included from maxima.c:82:
common.c: In function 'execredirected':
common.c:255: warning: ignoring return value of 'freopen', declared with attribute warn_unused_result
common.c:259: warning: ignoring return value of 'freopen', declared with attribute warn_unused_result
common.c:260: warning: ignoring return value of 'freopen', declared with attribute warn_unused_result
common.c: In function 'prepabout':
common.c:449: warning: ignoring return value of 'write', declared with attribute warn_unused_result
gcc -g -O2 -Wall maxima.o -lm -o maxima
gcc -o scilab.o -g -O2 -Wall -DGNU_SOURCE -DVERSION_DATE=\"2010-09-08\" -c scilab.c
In file included from scilab.c:56:
common.c: In function 'execredirected':
common.c:255: warning: ignoring return value of 'freopen', declared with attribute warn_unused_result
common.c:259: warning: ignoring return value of 'freopen', declared with attribute warn_unused_result
common.c:260: warning: ignoring return value of 'freopen', declared with attribute warn_unused_result
common.c: In function 'prepabout':
common.c:449: warning: ignoring return value of 'write', declared with attribute warn_unused_result
gcc -g -O2 -Wall scilab.o -lm -o scilab
gcc -o gap.o -g -O2 -Wall -DGNU_SOURCE -DVERSION_DATE=\"2010-09-08\" -c gap.c
In file included from gap.c:57:
common.c: In function 'execredirected':
common.c:255: warning: ignoring return value of 'freopen', declared with attribute warn_unused_result
common.c:259: warning: ignoring return value of 'freopen', declared with attribute warn_unused_result
common.c:260: warning: ignoring return value of 'freopen', declared with attribute warn_unused_result
common.c: In function 'prepabout':
common.c:449: warning: ignoring return value of 'write', declared with attribute warn_unused_result
gcc -g -O2 -Wall gap.o -lm -o gap
gcc -o mup.o -g -O2 -Wall -DGNU_SOURCE -DVERSION_DATE=\"2010-09-08\" -c mup.c
In file included from mup.c:74:
common.c: In function 'execredirected':
common.c:255: warning: ignoring return value of 'freopen', declared with attribute warn_unused_result
common.c:259: warning: ignoring return value of 'freopen', declared with attribute warn_unused_result
common.c:260: warning: ignoring return value of 'freopen', declared with attribute warn_unused_result
common.c: In function 'prepabout':
common.c:449: warning: ignoring return value of 'write', declared with attribute warn_unused_result
gcc -g -O2 -Wall mup.o -lm -o mup
gcc -o octave.o -g -O2 -Wall -DGNU_SOURCE -DVERSION_DATE=\"2010-09-08\" -c octave.c
In file included from octave.c:89:
common.c: In function 'execredirected':
common.c:255: warning: ignoring return value of 'freopen', declared with attribute warn_unused_result
common.c:259: warning: ignoring return value of 'freopen', declared with attribute warn_unused_result
common.c:260: warning: ignoring return value of 'freopen', declared with attribute warn_unused_result
common.c: In function 'prepabout':
common.c:449: warning: ignoring return value of 'write', declared with attribute warn_unused_result
gcc -g -O2 -Wall octave.o -lm -o octave
gcc -o m2.o -g -O2 -Wall -DGNU_SOURCE -DVERSION_DATE=\"2010-09-08\" -c m2.c
In file included from m2.c:58:
common.c: In function 'execredirected':
common.c:255: warning: ignoring return value of 'freopen', declared with attribute warn_unused_result
common.c:259: warning: ignoring return value of 'freopen', declared with attribute warn_unused_result
common.c:260: warning: ignoring return value of 'freopen', declared with attribute warn_unused_result
common.c: In function 'prepabout':
common.c:449: warning: ignoring return value of 'write', declared with attribute warn_unused_result
gcc -g -O2 -Wall m2.o -lm -o m2
strip pari yacas maxima scilab gap mup octave m2
cp pari yacas maxima scilab gap mup octave m2 ../public_html/bin
cp: ne peut créer le fichier régulier `../public_html/bin/pari': Fichier texte occupé

cp: ne peut créer le fichier régulier `../public_html/bin/maxima': Fichier texte occupé
make: *** Erreur 1
make: quittant le répertoire « /home/wims/src/Interfaces »
make: *** Erreur 2

et donc installation non terminée.

Séb.

Re:erreur 443 sur sourcesup avec 4.01a

Posted by sebbum - 2010/09/08 10:11

Mais il semble qu'une partie de l'installation ait été prise en compte.

En effet, il est toujours écrit "wims 4,00 etc..." en bas, mais j'ai les boutons de gestion des feuille sur la page d'accueil, que je n'avais pas hier encore. (c'était d'ailleurs une de mes demande, génial !)

Séb.

Re:erreur 443 sur sourcesup avec 4.01a

Posted by bernadette - 2010/09/08 10:20

La compilation n'a pas été jusqu'au bout.

Pour faire propre, il faudrait avant de lancer la compilation désactiver l'accès apache ...
Quelqu'un se servait des fichiers

```
../public_html/bin/pari'  
../public_html/bin/maxima  
et ces fichiers n'ont donc pas pu être remplacés.
```

Donc soit tu les enlèves à la main
rm public_html/bin/pari ..
et tu relances la compilation

avec un risque que ça gêne un utilisateur, soit ... tu désactives apache pour que personne ne puisse se connecter

En tout cas, il vaut mieux faire cela en une période de non activité du serveur.

Bernadette

Re:erreur 443 sur sourcesup avec 4.01a

Posted by sebbum - 2010/09/08 13:04

J'ai choisi la méthode brutale de suppression de fichiers, et ça a très bien marché, merci.

Je doute que quelqu'un utilise continuellement pari et maxima depuis ce matin, donc il devait y avoir un blocage du à des prog mal fermé ? ou des sessions ?

En tout cas, tout va bien, maintenant.

Merci encore.

